**DNV-GL** 

# MATERIAL MANUFACTURE CERTIFICATE

Certificate No.: 12210-2018-CE-USA-DNV GL

Initial date: 15 March, 2009 Validity: 17 April, 2018 - 16 April, 2021

This certificate consists of 5 pages

This is to verify that

## **WESTERN FORGE AND FLANGE COMPANY**

687 County Road 2201Cleveland, TX 77327, USA

for

### FORGED FLANGES AND RING FORGINGS

has implemented and is maintaining a certified quality assurance system which has undergone a specific assessment for materials for applications covered by Directive 2014/68/EU on pressure equipment, and is found to comply with Annex I, section 4.3, for acceptance of type 3.1 material certificates according to EN 10204:2004

Further details are given in the following pages

Place and date: Vimercate 15 March, 2018



**DNV GL Business Assurance Italia** S.r.l.

**Nicola Privato** Management Representative Certificate No.: 12210-2018-CE-USA-ACCREDIA Place and date: Vimercate 15 March, 2018

Revision No.: 00

#### **Certificate history**

Revision	Description	Issued date
00	Recertification. Transition from DNV GL AS Norway cert PEDMC0000002 to DNV GL Business Assurance Italia S.r.l.	15 March, 2018

#### Products covered by this certificate

Product name	FORGED FLANGES AND RING FORGINGS	
Steel types	See Materials/Applicable Specifications listed below	

#### Legend:

A - ASTM SPECIFICATION

SA - ASME SPECIFICATION

AMS - Aerospace Material Specification

QQ - Federal Specification

GRADE	UNS NO.	FORGING SPECIFICATIONS		
F304	S30400	A/SA182, A/SA403, QQ-S-763		
F304H	S30409	A/SA182, A/SA403, QQ-S-763		
F304L	S30403	ALL ABOVE + AMS 5647		
F304LN	S30453	A182		
F304N	S30451	A/SA182, A/SA403		
F309	S30900	A/SA403, QQ-S-763		
F310	S31000	A/SA182, A/SA403, QQ-S-763		
F310S	S31008	QQ-S-763		
F316	S31600	A/SA182, A/SA403, QQ-S-763		
F316H	S31609	A/SA182, A/SA403, QQ-S-763		
F316L	S31603	ALL ABOVE + AMS 5653		
F316LN	S31653	A/SA182		
F316N	S31651	A/SA182, A/SA403		
F317	S31700	A/SA182, A/SA403, QQ-S-763		
F317L	S31703	A/SA182		
F321	S32100	A/SA182, A/SA403, AMS 5645		
F321H	S32109	A/SA182, A/SA403		
F347	S34700	A/SA182, A/SA403, AMS		
		5646/5654		
F347H	S34709	A/SA182, A/SA403		
F44 (254 SMO)	S31254	A/SA182		

## **DNV·GL**

Certificate No.: 12210-2018-CE-USA-ACCREDIA Place and date: Vimercate 15 March, 2018

Revision No.: 00

F45 (253 MA)	S30815	A/SA182
F47 (317LM)	S31725	A/SA182
F48 (317LMN)	S31726	A/SA182
F430	S43000	A/SA182
F6a (410)	S41000	A/SA182, AMS 5613
F6NM	S41500	A/SA182
F410S	S41008	A/SA182 (F6A), AMS 5613
NITRONIC 50	S20910	A/SA182, A/SA403 (XM-19)
NITRONIC 60	S21800	NONE
15-5 PH	S15500	A564, AMS 5659
17-4 PH	S17400	A/SA564 (630), AMS 5643
F51 (DUPLEX)	S31803	A/SA182
F60 (2205)	S32205	A/SA182
F53 (2507)	S32750	A/SA182
FERR 255	S39253*	A/SA182 (*F61/S32550 New UNS
		No.)
A105 CS	K03504	A/SA105
A350 LF-1	K03009	A/SA350
A350 LF-2	K03011	A/SA350
A350 LF-3	K32025	A/SA350
F1	K12822	A/SA182
F5 (501SS)	K41545	A/SA182
F5a	K42544	A/SA182
F9	K90941	A/SA182
F11 CL-1	K11597	A/SA182
F11 CL-2	K11572	A/SA182
F11 CL-3	K11572	A/SA182
F12 CL-1	K11562	A/SA182
F12 CL-2	K11564	A/SA182
F22 CL-1	K21590	A/SA182
F22 CL-3	K21590	A/SA182
ALUM 1100	A91100	B/SB247, B/SB361
ALUM 2014	A92014	B/SB247, AMS 4133/4134
ALUM 3003	A93003	B/SB247, B/SB361
ALUM 5083	A95083	B/SB247, B/SB361
ALUM 5086	A95086	NONE

## **DNV·GL**

Certificate No.: 12210-2018-CE-USA-ACCREDIA Place and date: Vimercate 15 March, 2018

Revision No.: 00

ALUM 6061
ALUM 7075  A97075  B/SB247, QQ-A-367, AMS4141/4311  70/30 CU-NI  C71500  MIL-C-15726, MIL-C-24679  90/10 CU-NI  C70600  MIL-C-15726, MIL-C-24679  EVER 655  C65500  B/SB283 (HOT PRESSED)  NAVAL BRASS  C46400  B/SB363, B/SB381  TITANIUM GR2  R50400  B/SB363, B/SB381  TITANIUM GR7  R52400  B/SB363, B/SB381  TITANIUM GR12  R53400  B/SB363, B/SB381  TITANIUM GR12  R53400  B/SB363, B/SB381  HAYNES HR160  HAYNES PS-6039-2  HAYNES 230  N06230  B/SB564, AMS 5891  HAYNES 242  HAYNES 556  R30556  R30556  HAYNES PS-6096-0  HAYNES 556  R30556  R30556  R30556  HAYNES PS-6042-2  7-MO PLUS (F52)  S32950  A/SA182  HASTELLOY-B  N10001  B366 (REFERENCE)  HASTELLOY-B2  N10665  B462, B366, B/SB564
AMS4141/4311 70/30 CU-NI C71500 MIL-C-15726, MIL-C-24679 90/10 CU-NI C70600 MIL-C-15726, MIL-C-24679 EVER 655 C65500 B/SB283 (HOT PRESSED) NAVAL BRASS C46400 B/SB283 (HOT PRESSED) TITANIUM GR2 R50400 B/SB363, B/SB381 TITANIUM GR4 R50700 B/SB381 TITANIUM GR7 R52400 B/SB363, B/SB381 TITANIUM GR12 R53400 B/SB363, B/SB381 TITANIUM GR12 R53400 B/SB363, B/SB381 HAYNES HR160 HAYNES PS-6039-2 HAYNES 230 N06230 B/SB564, AMS 5891 HAYNES 242 HAYNES PS-6096-0 HAYNES 556 R30556 HAYNES PS-6042-2 7-MO PLUS (F52) S32950 A/SA182 HASTELLOY-B N10001 B366 (REFERENCE) HASTELLOY-B2 N10665 B462, B366, B/SB564
70/30 CU-NI         C71500         MIL-C-15726, MIL-C-24679           90/10 CU-NI         C70600         MIL-C-15726, MIL-C-24679           EVER 655         C65500         B/SB283 (HOT PRESSED)           NAVAL BRASS         C46400         B/SB283 (HOT PRESSED)           TITANIUM GR2         R50400         B/SB363, B/SB381           TITANIUM GR4         R50700         B/SB363, B/SB381           TITANIUM GR7         R52400         B/SB363, B/SB381           TITANIUM GR12         R53400         B/SB363, B/SB381           HAYNES HR160         HAYNES PS-6039-2           HAYNES 230         N06230         B/SB564, AMS 5891           HAYNES 242         HAYNES PS-6096-0           HAYNES 556         R30556         HAYNES PS-6042-2           7-MO PLUS (F52)         S32950         A/SA182           HASTELLOY-B         N10001         B366 (REFERENCE)           HASTELLOY-B2         N10665         B462, B366, B/SB564
90/10 CU-NI         C70600         MIL-C-15726, MIL-C-24679           EVER 655         C65500         B/SB283 (HOT PRESSED)           NAVAL BRASS         C46400         B/SB283 (HOT PRESSED)           TITANIUM GR2         R50400         B/SB363, B/SB381           TITANIUM GR4         R50700         B/SB363, B/SB381           TITANIUM GR7         R52400         B/SB363, B/SB381           TITANIUM GR12         R53400         B/SB363, B/SB381           HAYNES HR160         HAYNES PS-6039-2           HAYNES 230         N06230         B/SB564, AMS 5891           HAYNES 242         HAYNES PS-6096-0           HAYNES 556         R30556         HAYNES PS-6042-2           7-MO PLUS (F52)         S32950         A/SA182           HASTELLOY-B         N10001         B366 (REFERENCE)           HASTELLOY-B2         N10665         B462, B366, B/SB564
EVER 655         C65500         B/SB283 (HOT PRESSED)           NAVAL BRASS         C46400         B/SB283 (HOT PRESSED)           TITANIUM GR2         R50400         B/SB363, B/SB381           TITANIUM GR4         R50700         B/SB381           TITANIUM GR7         R52400         B/SB363, B/SB381           TITANIUM GR12         R53400         B/SB363, B/SB381           HAYNES HR160         HAYNES PS-6039-2           HAYNES 230         N06230         B/SB564, AMS 5891           HAYNES 242         HAYNES PS-6096-0           HAYNES 556         R30556         HAYNES PS-6042-2           7-MO PLUS (F52)         S32950         A/SA182           HASTELLOY-B         N10001         B366 (REFERENCE)           HASTELLOY-B2         N10665         B462, B366, B/SB564
NAVAL BRASS         C46400         B/SB283 (HOT PRESSED)           TITANIUM GR2         R50400         B/SB363, B/SB381           TITANIUM GR4         R50700         B/SB381           TITANIUM GR7         R52400         B/SB363, B/SB381           TITANIUM GR12         R53400         B/SB363, B/SB381           HAYNES HR160         HAYNES PS-6039-2           HAYNES 230         N06230         B/SB564, AMS 5891           HAYNES 242         HAYNES PS-6096-0           HAYNES 556         R30556         HAYNES PS-6042-2           7-MO PLUS (F52)         S32950         A/SA182           HASTELLOY-B         N10001         B366 (REFERENCE)           HASTELLOY-B2         N10665         B462, B366, B/SB564
TITANIUM GR2 R50400 B/SB363, B/SB381  TITANIUM GR4 R50700 B/SB381  TITANIUM GR7 R52400 B/SB363, B/SB381  TITANIUM GR12 R53400 B/SB363, B/SB381  HAYNES HR160 HAYNES PS-6039-2  HAYNES 230 N06230 B/SB564, AMS 5891  HAYNES 242 HAYNES PS-6096-0  HAYNES 556 R30556 HAYNES PS-6042-2  7-MO PLUS (F52) S32950 A/SA182  HASTELLOY-B N10001 B366 (REFERENCE)  HASTELLOY-B2 N10665 B462, B366, B/SB564
TITANIUM GR4 R50700 B/SB381  TITANIUM GR7 R52400 B/SB363, B/SB381  TITANIUM GR12 R53400 B/SB363, B/SB381  HAYNES HR160 HAYNES PS-6039-2  HAYNES 230 N06230 B/SB564, AMS 5891  HAYNES 242 HAYNES PS-6096-0  HAYNES 556 R30556 HAYNES PS-6042-2  7-MO PLUS (F52) S32950 A/SA182  HASTELLOY-B N10001 B366 (REFERENCE)  HASTELLOY-B2 N10665 B462, B366, B/SB564
TITANIUM GR7 R52400 B/SB363, B/SB381  TITANIUM GR12 R53400 B/SB363, B/SB381  HAYNES HR160 HAYNES PS-6039-2  HAYNES 230 N06230 B/SB564, AMS 5891  HAYNES 242 HAYNES PS-6096-0  HAYNES 556 R30556 HAYNES PS-6042-2  7-MO PLUS (F52) S32950 A/SA182  HASTELLOY-B N10001 B366 (REFERENCE)  HASTELLOY-B2 N10665 B462, B366, B/SB564
TITANIUM GR12 R53400 B/SB363, B/SB381  HAYNES HR160 HAYNES PS-6039-2  HAYNES 230 N06230 B/SB564, AMS 5891  HAYNES 242 HAYNES PS-6096-0  HAYNES 556 R30556 HAYNES PS-6042-2  7-MO PLUS (F52) S32950 A/SA182  HASTELLOY-B N10001 B366 (REFERENCE)  HASTELLOY-B2 N10665 B462, B366, B/SB564
HAYNES HR160 HAYNES PS-6039-2 HAYNES 230 N06230 B/SB564, AMS 5891 HAYNES 242 HAYNES PS-6096-0 HAYNES 556 R30556 HAYNES PS-6042-2 7-MO PLUS (F52) S32950 A/SA182 HASTELLOY-B N10001 B366 (REFERENCE) HASTELLOY-B2 N10665 B462, B366, B/SB564
HAYNES 230 N06230 B/SB564, AMS 5891 HAYNES 242 HAYNES PS-6096-0 HAYNES 556 R30556 HAYNES PS-6042-2 7-MO PLUS (F52) S32950 A/SA182 HASTELLOY-B N10001 B366 (REFERENCE) HASTELLOY-B2 N10665 B462, B366, B/SB564
HAYNES 242 HAYNES PS-6096-0  HAYNES 556 R30556 HAYNES PS-6042-2  7-MO PLUS (F52) S32950 A/SA182  HASTELLOY-B N10001 B366 (REFERENCE)  HASTELLOY-B2 N10665 B462, B366, B/SB564
HAYNES 556R30556HAYNES PS-6042-27-MO PLUS (F52)S32950A/SA182HASTELLOY-BN10001B366 (REFERENCE)HASTELLOY-B2N10665B462, B366, B/SB564
7-MO PLUS (F52) S32950 A/SA182 HASTELLOY-B N10001 B366 (REFERENCE) HASTELLOY-B2 N10665 B462, B366, B/SB564
HASTELLOY-B         N10001         B366 (REFERENCE)           HASTELLOY-B2         N10665         B462, B366, B/SB564
HASTELLOY-B2 N10665 B462, B366, B/SB564
HASTELLOY-B3 N10675 B462, B366, B/SB564
HASTELLOY-C4 N06455 B366 (REFERENCE)
HASTELLOY-C22 N06022 B462, B366, B/SB564
HASTELLOY-C276 N10276 B462, B366, B/SB564, AMS 5750
HAST C-2000 N06200 B462, B564
HASTELLOY-G N06007 B366 (REFERENCE)
HASTELLOY-G3 N06985 B366 (REFERENCE)
HASTELLOY-G30 N06030 B462, B366 (REFERENCE)
HASTELLOY-N N10003 B366 (REFERENCE)
HASTELLOY-X N06002 B366 (REF), AMS 5754
NICKEL 200 N02200 B366, B/SB564
NICKEL 201 N02201 B366 (REF)
ALLOY 400 N04400 B366, B/SB564, QQ-N-281, MIL-F-
23509
ALLOY K500 N05500 QQ-N-286
ALLOY 600 N06600 B366, B/SB564, AMS 5665
ALLOY 601 N06601 AMS 5715
INCONEL 617 N06617 B564

Certificate No.: 12210-2018-CE-USA-ACCREDIA Place and date: Vimercate 15 March, 2018

Revision No.: 00

ALLOY 625	N06625	B366, B/SB564, AMS 5666
INCONEL 686	N06686	B564
INCONEL 690	N06690	B564
INCONEL 718	N07718	B/SB637, AMS 5662/5663/5664
INCONEL X750	N07750	B/SB637 (GR688), AMS 5542/5668
ALLOY 800	N08800	B366, B/SB564, AMS 5766
ALLOY 800H	N08810	B366, B/SB564
ALLOY 800HT	N08811	B366, B/SB564
ALLOY 825	N08825	B366, B/SB564
ALLOY 904L	N08904	NONE
ALLOY C20 (F20)	N08020	A182, B366, B/SB462
AL6XN (F58)	N08367	A182, B366, B/SB462, B/SB564
RA330	N08330	B366 (REF), AMS 5716
RA330 (W/ G.S.)	N08332	NONE
RA333	N06333	AMS 5717
25-6 MO	N08925	NONE
ULTIMET	R31233	NONE (REF: HAYNES MATERIAL)

Initial inspection on the production site has been carried out by DNV GL Business Assurance USA, Inc., ref. Assessment Report dated 2018-02-23.

#### Terms and conditions for the certificate

- in case of damages caused by defective products, Council Directive 85/374/EC, as amended, will apply:
- the system approval is valid only for the material types listed above. For other material types, an application for extension of the certificate must be sent to DNV GL Business Assurance USA, Inc.;
- periodic audits and unexpected visits will be held, in order to verify that the manufacturer duly fulfils the obligations arising out of the approved quality system;
- the manufacturer shall fulfil the obligations arising out of the quality system as approved and uphold it so that it remains adequate and efficient;
- the manufacturer must give information of any intended adjustments of the Quality System to DNV GL Business Assurance USA, Inc., who will assess the changes and decide if the Statement remains valid;
- the manufacturer shall inform DNV GL Business Assurance USA, inc., of the intended schedule of production for materials.

The following may render this certificate invalid:

- changes in the quality system affecting production;
- periodic audits not held within the allowed time window.

#### **END OF CERTIFICATE**